






ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
1	X		D5623-041	FWD WEARPLATE ASSY LH
2		X	D5623-043	AFT WEARPLATE ASSY LH
3	1		D5623-1	FWD WEARPLATE
4		1	D5623-3	AFT WEARPLATE
5	2	1	MS21920-25	CLAMP



- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020-0.040 THICK, PER DART QSI 005 SECTION 4.9
  - 3) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.060-0.080 TOTAL THICK, PER DART QSI 005 SECTION 4.9
  - 4) FINISH: COAT ENTIRE INNER (CONCAVE) SURFACE OF MS21920 CLAMP WITH TEXTURED COATING, 0.020-0.040 THICK, PER DART QSI 005 SECTION 4.9
  - 5) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 6) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 7) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 8) IDENTIFICATION: IDENTIFY WITH DART P/N "D5622-X" USING FINE POINT PERMANENT INK MARKER PER DART QSI 044 SECTION 6.1
  - 9) WEIGHT: D5622-041 = 1.3 lbs, D5623-043 = 1.3 lbs
  - 10) WELDING: PER DART QSI 004
  - 11) INDEX MS21920-25 CLAMP TABS WITH WEARPLATE AT THIS LOCATION
  - 12) INDICATE FWD DIRECTION IN LOCATION SHOWN USING WHITE PAINT MARKER



**D5623-041 FWD WEARPLATE ASSEMBLY LH**  
D5623-042 OPPOSITE




**D5623-043 AFT WEARPLATE ASSEMBLY LH**  
D5623-044 OPPOSITE



WORK IN PROGRESS

A	NEW ISSUE		WK	18.03.25
REV.	DESCRIPTION		BY	DATE
DESIGN	WK	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA		
DRAWN	WK			
CHECKED	RF	DRAWING NO.		REV. A1
MFG. APPR.	JFS	<b>D5623</b>		SHEET 1 OF 4
APPROVED		TITLE		SCALE
DE APPR.		<b>WEARPLATE ASSY</b>		NTS
DATE	18.03.25	COPYRIGHT © 2018 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>		


ITEM	QTY -042	QTY -044	P/N	DESCRIPTION
1	X		D5623-042	FWD WEARPLATE ASSY RH
2		X	D5623-044	AFT WEARPLATE ASSY RH
3	1		D5623-1	FWD WEARPLATE
4		1	D5623-3	AFT WEARPLATE
5	2	1	MS21920-25	CLAMP




SECTION H-H  
-042/-044 SHOWN



D5623-042 FWD WEARPLATE ASSEMBLY RH



D5623-044 AFT WEARPLATE ASSEMBLY RH



- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020-0.040 THICK, PER DART QSI 005 SECTION 4.9
  - 3) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.060-0.080 TOTAL THICK, PER DART QSI 005 SECTION 4.9
  - 4) FINISH: COAT ENTIRE INNER (CONCAVE) SURFACE OF MS21920 CLAMP WITH TEXTURED COATING, 0.020-0.040 THICK, PER DART QSI 005 SECTION 4.9
  - 5) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 6) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 7) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 8) IDENTIFICATION: IDENTIFY WITH DART P/N "D5622-X" USING FINE POINT PERMANENT INK MARKER PER DART QSI 044 SECTION 6.1
  - 9) WEIGHT: D5623-042 = 1.3 lbs, D5623-044 = 1.3 lbs
  - 10) WELDING: PER DART QSI 004
  - 11) INDEX MS21920-25 CLAMP TABS WITH WEARPLATE AT THIS LOCATION
  - 12) INDICATE FWD DIRECTION IN LOCATION SHOWN USING WHITE PAINT MARKER

WORK IN PROGRESS

DESIGN	WK	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	WK		
CHECKED	RF	DRAWING NO. <b>D5623</b>	REV. A1
MFG. APPR.	JFS		SHEET 2 OF 4
APPROVED		TITLE <b>WEARPLATE ASSY</b>	SCALE NTS
DE APPR.		COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	18.03.25		

